Subject Index

A

Abscents, off-flavor compounds in HDPE with different amounts of Abscents, 922
ABS resins, shear viscosity of at very low stress, 590
Activated sludge, high impact polystyrene, degradation of with and without starch in concentrated activated sludge, 863
Adhesion
between PVC and wood veneer laminates, effect of surface properties on, 765
extrusion laminated film without any chemical primer, 1633
non anchor coating extrusion laminating process, 1633
Adhesive strength, impact-toughened isotactic polypropylene, epitaxial crystallization and adhesive strength of, 478
Adipic acid, polyesterification of with 1,3-butanediol, kinetics of, 1014
Aging
bulk moduli from physical aging data, 1261
durability of in-plant recycled glass fiber reinforced polyamide 66!, 348
sub-glass-transition heat flow transition of cured epoxy resin, 947
thermoviscoelastic behavior of physically aged polymers, 793
Alder Ene reaction, ethylene-propylene-diene terpolymer (EPDM) rubber, functionalization of via, 1694
Alkanes, linear and nonlinear hydrocarbons, relationship between *P-V-T* and flow behavior in, 464
Alkyl tin catalyst
monobutyl tinoxide (MBTO) catalyst, kinetics of forming poly(butylene succinate) oligomer with, 905
polyesterification of adipic acid with 1,3-butanediol, 1014
Aluminum, protective coatings on aluminum by spontaneous polymerization, 299
Annular extrudate swell, high Weissenberg number simulation of an annular extrudate swell, 409
Antimony catalysts, grey discoloration of poly(ethylene terephthalate) prepared with, 1039
As-molded shrinkage, as-molded shrinkage measurements on polystyrene injection molded products, 254
Asphalts, emulsion stability and mechanical performance of polyolefin modified asphalts, effect of morphology on, 707
Automotive industry
durability of in-plant recycled glass fiber reinforced polyamide 66!, 348
pigmented mineral-filled polypropylene (PP-PMF), scratch and mar resistance of, 1906
Axial discharge continuous mixer, design and performance, 936
Axisymmetric drop shape analysis (ADSA), surface tensions of polymer melts by, 757

B

Barrier properties, of polyethylene/modified polyamide blends, 1482
Bending strength, part bending strength, effect of gas channel design on, 1085
Biesenberger, Joseph A., in memoriam, 1029
Binders, emulsion stability and mechanical performance of polyolefin modified asphalts, effect of morphology on, 707
Biodegradable polymers
environmental interaction and, 1251
polyesters, steady shear and dynamic properties of, 1426
semidilute solutions of gently solubilized starch, flow-induced structure of, 1523
Birefringence
lamellar regenerated cellulose, correlation between microhardness and optical anisotropies and crystallinity, 461
for predicting stiffness of injection molded polycarbonate discs, 1770
Bis-GMA dispersions, fumed silica filled bis-GMA dispersions, rheological properties of, 1142
Bis-maleimide (BMI), protective coatings on aluminum by spontaneous polymerization, 299
Bisphenol-A novolac epoxide oligomer, dielectric properties of, 1838
Bisphenol-A polyarylate, injection molded PEEK/polyarylate blends, solid state and mechanical properties of, 1854
Block copolymers
poly(caprolactone)-poly(ethylene glycol) block copolymer, LDPE/PCE blends, degradation behavior of, 392
poly(dimethyl siloxane-copethylene oxide), electrocapillary wave studies of, 741
segmented block copolymers of natural rubber and propylene glycol-toluene diisocyanate oligomers, 440
Blow molding
melt vibration and, 11
of poly(ethylene terephthalate): EDSC studies of crystallization characteristics, 265
of poly(ethylene terephthalate): experimental study and numerical simulation of, 1399
Bonding, thermoplastic bonding to metals via injection molding for macro-composite manufacture, 870
Bottles, poly(ethylene terephthalate) for blow molding applications, DSC studies of crystallization characteristics, 265
Branched step-growth polymerization, "in-out" recursive probability modeling, 535
Bubble stability, transient elongational viscosity of LLDPE/LDPE blends, 1685
Bulk moduli, from physical aging and stress relaxation data, 1261
Burst pressure, for polyamide pipes, prediction, 657
Buss Kneader, residence time distributions and flow and melting studies in, 1366

C

Carbon black
carbon black-filled HDPE composite, electrical phenomena in, 471
carbon-black filled immiscible blends of poly(vinylidene fluoride) and high density polyethylene, 1649
carbon black-filled polypropylene, shear viscosity of at very low shear stresses, 616
HIPS/LLDPE/carbon black extrudates, shear rate effect on resistivity of, 1898
Carbon dioxide
extrusion of polyethylene/polystyrene blends with supercritical carbon dioxide, 1112
low density microcellular foam processing using, 1812
Cast films, poly(butylene terephthalate (PBT) film, formation and characterization of cast and biaxially stretched film, 505
Cavitation, rubber-modified polymers, effects of particle bulk modulus on toughening mechanisms in, 1763

Indexed by Janet Perlman, Southwest Indexing, 610 East Bell Road, Suite 2-157, Phoenix, AZ 85022, (602) 569-7302.

Cellulose fiber composites, microcellular foamed PVC/wood-fiber composites, cell morphology and property relationships of, 1862
Chain interdiffusion, film formation in reactive latex systems, effects of surface functional groups on, 884
Chain orientation, in sheared molten poly(ethylene oxide) fractions, by infrared dichroism, 1559
Coatings
of flame-sprayed ethylene-methacrylic acid copolymer (EMAA), properties of, 1873
indentation measurements using dynamic mechanical analyzer, 1529
protective coatings on aluminum by spontaneous polymerization, 299
thermally induced delamination of polymeric coatings in double-coated optical fibers, 1023
Coextrusion
integrated analysis of, 49
multi-layer flow for polymer melts, numerical simulation, 1099
polymer viscoelasticity, effect of on layer rearrangement in coextruded structures, 1060
Compaction, polycarbonate powder, hot compaction and consolidation of, 1824
Compatibilization
binary blends of thermotropic liquid crystal polymers, 716
of ethylene-vinyl alcohol (EVOH) copolymer/HDPE blends through functionalization, 1420
of HDPE/PC blends, with low density polyethylene grafted diallyl bisphenol A ether, 879
LDPE/starch blends containing ethylene/vinyl acetate copolymer as compatibilizer, preparation and characterization, 954
mechanical properties and morphology, effect of processing conditions and copolymer molecular weight on compatibilized blends, 847
polymer blends of PA6 and PPE compatibilized by PMPI coupler, 622
poly(vinylidene fluoride) blends with polyolefin ionomers, radiation grafting functionalization to compatibilize blends, 452
Compression molding, on-line real-time dielectric measurements during compression molding process, 1566
Compressive behavior, of microcellular polystyrene foams processed in supercritical carbon dioxide, 2055
Computer software, LUDOVIC software for flow calculations in self-wiping corotating twin screw extruder, 1781
Conductivity, of carbon-black filled immiscible blends of poly(vinylidene fluoride) and high density polyethylene, 1649
Consolidation, polycarbonate powder, hot compaction and consolidation of, 1824
Controlled-rheology polypropylenes (CRPP), extrudate distortion in controlled-rheology polypropylenes, 274
Control system, process control of sheet processing, 1740
Cooling system, for injection molding, optimal design for, 1450
Cooling time, for cylindrical plastic components, heat conduction models, 1048
Copolyester
interfacial tension between thermotropic liquid crystalline copolyester (TLCP) and polyethersulfone, 1536
liquid crystalline copolyester/polyethersulfone blends, transport properties of methanol in, 1640
magnetically and mechanically oriented liquid crystalline copolyester Xydar, thermomechanical properties of, 914
microstructure and morphology of copolyesters synthesized by transesterification of PET with LCP monomer, 1491
newly developed thin films: thermal and intrinsic stress in, 971
newly developed thin films, thermal expansion coefficients of, 499
orientation in TLCP, development and relaxation of, 1278
poly(ethylene terephthalate)/phosphorus-containing copolyester blends, characterization of, 1471
Copolymerization, conductive elastomeric foams prepared by, 857
Corona treatment, of polyolefin films, 965
Co-rotating twin screw extruders
distributive mixing in conveying elements, 926
LUDOVIC software for flow calculations in self-wiping corotating twin screw extruder, 1781
modular self wiping co-rotating twin screw extruders, melting model for, 727
velocity field in translational region of, 1549
Counter-rotating twin screw extruder, degree of fill in, 1193
Crazing, infrared imaging of stress-crazing in rubber modified polystyrene, 385
Creep, crosslinked closed cell polyolefin foams, recovery behavior of, 831
Creep rupture test, stress crack performance of polyethylenes, 330
Crosslinking, of polybutadiene rubber, without vulcanization agent, 1254
Crystallinity
crystalline phase transformation, of poly(vinylidene fluoride)/poly(vinyl fluoride) blend films, 1359
lamellar regenerated cellulose, correlation between microhardness and optical anisotropies and crystallinity, 461
of poly(ethylene terephthalate) during melt spinning, on-line density and crystallinity, 1959
of poly(ethylene terephthalate)/phosphorus-containing copolyester blends, 1471
Crystallization
multiscale model, growth of individual spherulites, 634
multiscale model, solidification of a macroscopic part, 644
non-isothermal polymer crystallization kinetics and Avrami master curves, 610
poly(butylene terephthalate), two-stage crystallization kinetics modeling for miscible blend system containing crystallizable PBT, 583
poly(ethylene terephthalate), thermally crystallized oriented, 237
poly(ethylene terephthalate) for blow molding applications, DSC studies of, 265
polypropylene, epitaxial crystallization and adhesive strength in impact-toughened isotactic PP, 478
Crystallization kinetics
hot plate welding of polypropylene, 1121
of poly(ethylene terephthalate), mathematical modeling and experimental measurement, 1594
Crystallization morphology, of thermotropic liquid crystalline polyimide, 1845
Curing (cure process)
bisphenol-A novolac epoxide oligomer, dielectric properties of for cure monitoring, 1838
epoxy-terminated poly(phenylene ether ketone), cure processing modeling and cure cycle simulation for, 420

D

Deformation
infrared imaging of stress-crazing in rubber modified polystyrene, 385
of polycarbonate, structural rearrangements during yielding of, 1443
Degradation
durability of in-plant recycled glass fiber reinforced polyamide 66!, 348
of high impact polystyrene with and without starch in concentrated activated sludge, 863
of LDPE/PCE blends, 392
Delamination, thermally induced delamination of polymeric coatings in double-coated optical fibers, 1023
Density
on-line density of poly(ethylene terephthalate) during melt spinning, 1959
in polyurethanes, additive group contributions to, 2072
Dental materials, fumed silica filled bis-GMA dispersions, rheological properties of, 1142
Design, *see also* Die design; Process design
of cooling system for injection molding, 1450
dispersive mixing, in axial discharge continuous mixer, 936
Dextran gels, the Sephadex story, 1220
Diallyl bisphenol A ether, low-density polyethylene grafted, compatibilization of HDPE/PC blend systems with, 879
Dielectric properties
of bisphenol-A novolac epoxide oligomer, 1838
on-line real-time dielectric measurements during compression molding process, 1566

Diene elastomers, photochemical modification of by photocrosslinking, surface photografting, and lamination, 1229
Dies
die body deflection, 3-D analysis of effect of on design of, 1729
extrudate swell from square and rectangular channels, effect of surface tension on, 1167
interface shape in, effect of viscoelasticity in multi-layer flow for polymer melts, 1099
microcellular sheet extrusion system process design models for shaping and cell growth control, 674
spiral mandrel dies, design of, 573
Differential scanning calorimetry (DSC)
crystallization kinetics of poly(ethylene terephthalate), 1594
hot-water polyethylene pipes, assessment of lifetime of based on oxidation induction time, 1244
poly(ethylene terephthalate) for blow molding applications, DSC studies of crystallization of, 265
quantitative analysis of LDPE and LLDPE blends by, 1716
Diffusivity
acrylamide-grafted aliphatic polyesters, multi-layer modeling of diffusion of water in, 1313
of methanol in blends of liquid crystalline copolyester and polyethersulfone, 1640
Discoloration, grey discoloration of poly(ethylene terephthalate) prepared with antimony catalysts, 1039
Disks
injection molded polycarbonate disks, birefringence for predicting stiffness of, 1770
warpage in reinforced polymer disks, modeling, 1072
Dispersive mixing, axial discharge continuous mixer, design and performance, 936
Dissolution, oxetane polymers, experimental investigation and modeling of, 90
Distortion, extrudate distortion in controlled-rheology polypropylenes, 274
Distributive mixing, in conveying elements of ZSK-53 co-rotating twin screw extruder, 926
Dog-legging, in melt spinning process, 341
Drinking water, identification of off-flavor compounds in HDPE pipes, 922
Ductile rupture, burst pressure prediction of polyamide pipes, 657
Dynamic mechanical analyzer, indentation measurements using, 1529
Dynamic mechanical properties
barium sulfate-filled blends of polypropylene and SAN, dynamic mechanical melt state properties and interlayer effects, 1295
of biodegradable polyesters, 1426
of EVOH/copolyamide-6/6.9 blends, 1890
of thermally crosslinkable poly(ethylene terephthalate), 1174

E

Elastic modulus, indentation measurements using dynamic mechanical analyzer, 1529
Elastomer foams, conductive elastomeric foams, 857
Electrical conductivity
carbon black-filled HDPE composite, electrical phenomena in, 471
of carbon-black filled immiscible blends of poly(vinylidene fluoride) and high density polyethylene, 1649
Electrical properties
carbon black-filled HDPE composite, electrical phenomena in, 471
of carbon-black filled immiscible blends of poly(vinylidene fluoride) and high density polyethylene, 1649
HIPS/LLDPE/carbon black extrudates, shear rate effect on resistivity of, 1898
Electrocapillary wave studies, for poly(dimethyl siloxane)s, 741
Electrophoresis, the Sephadex story, 1220
Elongational viscosity, of LLDPE/LDPE blends, 1685
Emulsion stability, emulsion stability and mechanical performance of polyolefin modified asphalts, effect of morphology on, 707
Environmental stress cracking resistance of blends of high density polyethylene (HDPE) with other polyethylenes, 1413
Epitaxial crystallization, impact-toughened isotactic polypropylene, epitaxial crystallization and adhesive strength of, 478
Epoxide oligomers, bisphenol-A novolac type, dielectric properties of, 1838
Epoxy-based prepreg systems, variable temperature cure polyetherimide epoxy-based prepreg systems, 356
Epoxy resins
epoxy resin and N-phenylmaleimide-styrene copolymer simultaneous interpenetrating polymer networks, 605
fracture failure processes: fractographic evidence, 69
fracture failure processes: mechanical tests, 60
on-line real-time dielectric measurements during compression molding process, 1566
sub-glass-transition heat flow transition of cured epoxy resin, 947
variable temperature cure polyetherimide epoxy-based prepreg systems, 356
Epoxy-terminated poly(phenylene ether ketone) (E-PEK), cure processing modeling and cure cycle simulation for, 420
Ethylene-methacrylic acid copolymer (EMAA), flame-sprayed, physical and relaxation properties of, 1873
Ethylene propylene diene (EPDM)
oxidation induction time measurements for, 1149
polypropylene-ethylene propylene diene terpolymer blends (PP-EPDM), shear viscosity of, 590
triallylcyanurate as coagent in EPDM perioxide vulcanization, 689
Ethylene-propylene-diene terpolymer (EPDM) rubber, functionalization of via Alder Ene reaction, 1694
Ethylene/vinyl acetate (EVA) copolymer, LDPE/starch blends containing ethylene/vinyl acetate copolymer as compatibilizer, preparation and characterization, 954
Ethylene-vinyl alcohol (EVOH) copolymers
EVOH/copolyamide-6/6.9 blends, thermal, dynamic-mechanical and shear rheology behavior of, 1890
EVOH/HDPE blends, compatibilization through functionalization, 1420
Expandable foam packaging, shock characteristics of expandable polystyrene foam protective packaging, 558
Extrudate swell, from square and rectangular channels, effect of surface tension on, 1167
Extruded pipe, weld-lines in extruded plastic pipe, effect of spider shape on, simulation of, 1506
Extrusion
die body deflection, 3-D analysis of effect of on design of, 1729
extrudate distortion in controlled-rheology polypropylenes, 274
extrudate swell from square and rectangular channels, effect of surface tension on, 1167
free radical branching of polylactide by reactive extrusion, 311
grooved feed systems, improving productivity and reducing viscous heating effects, 1199
high Weissenberg number simulation of an annular extrudate swell, 409
low density microcellular foam processing in extrusion using carbon dioxide, 1812
melt vibration and, 10
microcellular sheet extrusion system process design models for shaping and cell growth control, 674
non anchor coating extrusion laminating process, 1633
of polyethylene/polystyrene blends with supercritical carbon dioxide, 1112
of polypropylene, influence of nucleating agents, 516
of polypropylene sheet, mechanical properties and extrusion parameters, 662
reactive extrusion, stability of, 2010
reactive extrusion of polypropylene, hydrosilylation of terminal double bonds in through reactive processing, 1976
self-reinforced high density polyethylene, continuous extrusion of, 1805
"sharkskin effect," 101
single-screw extruders *see* Single-screw extruders
twin screw extruders *see* Twin screw extruders

F

Failure process
fracture failure processes: fractographic evidence, 69
in thermoplastics and an epoxy: mechanical tests and, 60
Fatigue, weld-lines in extruded plastic pipe, effect of spider shape on, simulation of, 1506
Fiber cladding, low refractive index, fluorinated methacrylate polymers, radiation effects on, 699
Fiberglass epoxy composite, curing of, microdielectrometry to analyze, 1566
Fiber packing, packing mechanics of, 1337
Fiber-reinforced composites
epoxy-terminated poly(phenylene ether ketone), cure processing modeling and cure cycle simulation for, 420
fracture failure processes: fractographic evidence, 69
injection molded long glass fiber reinforced polypropylene, impact fracture behavior of, 79
unidirectional fiber-reinforced polymers, modeling of relationship between morphology and viscoelastic behavior, 429
Fiber reinforcement
nylon-polyethylene blends, modification via *in situ* fiber formation, 371
packing mechanics of, 1337
resin transfer molding, void formation in, 809
Filled polymers, nanocomposites based on montmorillonite and unsaturated polyester, 1351
Film blowing, transient elongational viscosity of LLDPE/LDPE blends, 1685
Film casting, poly(butylene terephthalate (PBT) film, formation and characterization of cast and biaxially stretched film of, 505
Films
copolyester thin films: thermal expansion coefficients of newly developed films, 499
copolyester thin films: thermal and intrinsic stress in, 971
extrusion laminated film without any chemical primer, 1633
film formation in reactive latex systems, effects of surface functional groups on, 884
infrared absorbing polymer film, diffuse reflectance and transmittance of, 1666
lamellar regenerated cellulose, correlation between microhardness and optical anisotropies and crystallinity in, 461
poly(butylene terephthalate film, formation and characterization of cast and biaxially stretched film of, 505
of poly(ethylene terephthalate), wettability of surfaces and Ar+ irradiation, 1185
polyolefin films, corona treatment of, 965
thin and ultrathin films, spin coating of, 2039
Finite element method
distributive mixing in conveying elements of ZSK-53 co-rotating twin screw extruder, 926
equilibrium polymer blend morphology in dispersed two-phase flow, 1154
filling stage in injection molding, 3D finite element method, 223
fluid mechanics analysis of two-dimensional pultrusion die inlet, 1611
weld-lines in extruded plastic pipe, effect of spider shape on, simulation of, 1506
Flame spraying, of ethylene-methacrylic acid copolymer (EMAA), 1873
Flotation, of PVC from PVC/PET mixtures for recycling, 1378
Flow
in Buss Kneader, 1366
dispersive mixing, in axial discharge continuous mixer, 936
equilibrium polymer blend morphology in dispersed two-phase flow, 1154
filling stage in injection molding, 3D finite element method, 223
linear and nonlinear hydrocarbons, relationship between *P-V-T* and flow behavior, 464
multi-layer flow for polymer melts, numerical simulation, 1099
semidilute solutions of gently solubilized starch, flow-induced structure of, 1523
single screw extruders, helical channel model, 819
squeezing flow, of viscoplastic fluids, 1793
tangential counter-rotating twin screw extrusion: screw pumping characteristics and composite machine behavior, 485
Fluid mechanics, of two-dimensional pultrusion die inlet, 1611
Foams
conductive elastomeric foams, 857
continuous extrusion using carbon dioxide, 1812
crosslinked closed cell polyolefin foams, recovery behavior of, 831
LLDPE foams, rotational molding of, 1997
microcellular foamed high-density polyethylene/isotactic polypropylene blends, processing and characterization of, 1205
microcellular foamed PVC/wood-fiber composites, cell morphology and property relationships of, 1862
microcellular polystyrene foams processed in supercritical carbon dioxide, compressive behavior of, 2055
Fourier transform infrared spectroscopy, quantitative analysis of LDPE and LLDPE blends by, 1716
Fractographs, fracture failure processes, 69
Fracture
failure processes in thermoplastics and an epoxy: mechanical tests, 60
fracture failure processes: fractographic evidence, 69
injection molded long glass fiber reinforced polypropylene, impact fracture behavior of, 79
Fracture toughness
emulsion stability and mechanical performance of polyolefin modified asphalts, effect of morphology on, 707
"essential work of fracture" (EWF) method, rubber-toughened polypropylene thin plates, 2063
polyphenylene sulfide, plane strain fracture toughness of, 403
of rubber-toughened polypropylene thin plates, 2063
unsaturated polyester with rubber particles, 290
Free radicals, free radical branching of polylactide by reactive extrusion, 311
Free volume, in poly(ethylene oxide)/poly(methyl methacrylate) blends, 1286
Friction behavior, effect of PTFE on friction and wear behavior of polymers in rolling-sliding contact, 1946
Froth flotation, of PVC from PVC/PET mixtures for recycling, 1378
Full notch creep test, stress crack performance of polyethylenes, 330
Fumed silica dispersions, bis-GMA/silica composites, rheological properties of, 1142
Functionalization
of ethylene-propylene-diene terpolymer (EPDM) rubber, through Alder Ene reaction, 1694
of ethylene-vinyl alcohol (EVOH) copolymer/HDPE blends, compatibilization through, 1420
of polypropylene, hydrosilylation of terminal double bonds in through reactive processing, 1976
of poly(vinylidene fluoride) blends with polyolefin ionomers, radiation grafting functionalization to compatibilize blends, 452

G

Gas-assisted injection molding (GAIM)
melt vibration and, 11
part bending strength, effect of gas channel design on, 1085
partial frame process, void growth in, 1708
Gas channel, design, effect on part bending strength, 1085
Gel filtration, the Sephadex story, 1220
Glass fiber reinforced composites
melamine-formaldehyde ternary composite, microstructure and stiffness analysis of, 1324
recycled polyamide, durability of, 348
Glass fiber reinforced polyamides, mechanical properties of and impurities in recycled polyamide, 749
Glass fibers, thermally induced delamination of polymeric coatings in double-coated optical fibers, 1023
Glass transition temperature, in polyurethanes, additive group contributions to, 2072
Glassy polymers
onset of nonlinear viscoelasticity in multiaxial creep of, 892
structural rearrangements during yielding of, 1443

Graft copolymers
acrylamide-grafted aliphatic polyesters, multi-layer modeling of diffusion of water in, 1313
poly(styrene-g-ethylene oxide) copolymers as interfacial agents in immiscible polymer blends, 1303
Grafting, poly(vinylidene fluoride) blends with polyolefin ionomers, radiation grafting functionalization to compatibilize blends, 452
Grooved feed extrusion, improving productivity and reducing viscous heating effects, 1199

H

Heat conduction, cooling time for cylindrical plastic components, heat conduction models, 1048
Heat flow transition, sub-glass-transition heat flow transition of cured epoxy resin, 947
Heat transfer, high pressure tubular reactor for ethylene polymerization, 992
Heptafluorobutyl methacrylate, homo- and co-polymers for fiber cladding, radiation effects, 699
Hexafluorobutyl methacrylate, homo- and co-polymers for fiber cladding, radiation effects, 699
High density polyethylene (HDPE)
carbon black-filled HDPE composite, electrical phenomena in, 471
coextrusion process, numerical simulation of, 49
complex injection molded products: numerical simulation model, 21
crosslinked closed cell polyolefin foams, recovery behavior of, 831
environmental stress cracking resistance of blends of with other polyethylenes, 1413
ethylene-vinyl alcohol (EVOH) copolymer/HDPE blends, compatibilization through functionalization, 1420
failure processes in thermoplastics and an epoxy: mechanical tests, 60
fracture failure processes: fractographic evidence, 69
high-density polyethylene/isotactic polypropylene blends, processing and characterization of microcellular foamed blend, 1205
high density polyethylene/polycarbonate blend, compatibilized with low density polyethylene grafted diallyl bisphenol A ether, 879
off-flavor compounds in HDPE with different amounts of Abscents, 922
photochemical modification of by photocrosslinking, 1229
rheological and mechanical properties in polyethylene blends, 1969
self-reinforced, continuous extrusion of, 1805
High impact polystyrene (HIPS)
degradation of with and without starch in concentrated activated sludge, 863
HIPS/LLDPE/carbon black extrudates, shear rate effect on resistivity of, 1898
Hot plate welding
of polypropylene: crystallization kinetics of, 1121
of polypropylene: process simulation for, 1133
Hybrid composites, polypropylene as matrix materials of hybrid composites, comparison of isotactic and syndiotactic forms, 1463
Hydrocarbons, linear and nonlinear, relationship between *P-V-T* and flow behavior of, 464
Hydrosilylation, of terminal double bonds in polypropylene, through reactive processing, 1976
Hydroxyl terminated liquid natural rubber (HTNR), segmented block copolymers of natural rubber and propylene glycol-toluene diisocyanate oligomers, 440
Hysteresis loss
carbon black filled rubber vulcanizates, effect of holding time on high strain hysteresis loss, 1927
of nonlinear rubbery polymer, 38

I

Impact modifiers, vibration welding of poly(phenylene oxide)/poly(phenylene sulfide) blends, 2046
Impact properties, of polyethylene/modified polyamide blends, 1482
Indentation, indentation measurements using dynamic mechanical analyzer, 1529
Infrared dichroism
chain orientation in sheared molten polymer fractions, 1559
sheared molten polystyrene fractions, rheo-infrared-dichroism study of, 1270
Infrared imaging
quantitative analysis of LDPE and LLDPE blends by, 1716
of stress-crazing in rubber modified polystyrene, 385
of thermally crystallized oriented PET, 245
Infrared radiation, infrared absorbing polymer film, diffuse reflectance and transmittance of, 1666
Injection molding
cooling system design, 1450
cooling time for cylindrical plastic components, 1048
gas-assisted see Gas-assisted injection molding
long glass fiber reinforced polypropylene, impact fracture behavior of, 79
in macro-composite manufacture, thermoplastic bonding to metals via, 870
melt vibration and, 10
partial frame process, void growth in, 1708
polycarbonate discs, birefringence for predicting stiffness of, 1770
polystyrene products, as-molded shrinkage measurements on, 254
processing conditions, effect on shrinkage in, 838
simulation of filling stage, 3D finite element, 223
of thermoplastic wheat starch, numerical simulation of, 2029
transcription of minute width grooves by, 1587
weld line morphology of injection molded polypropylene, 2020
Injection stretch/blow molding, of poly(ethylene terephthalate), experimental study and numerical simulation of, 1399
In situ fiber formation, modification of nylon-polyethylene blends, 371
In situ vapor phase polymerization, conductive elastomeric foams prepared by, 857
Insulation, oxidation induction time for EPDM and XLPE polymers, 1149
Interfacial properties, poly(styrene-g-ethylene oxide) copolymers as interfacial agents in immiscible polymer blends, 1303
Interfacial tension, between thermotropic liquid crystalline copolyester and polyethersulfone, 1536
Interlayer effects, barium sulfate-filled blends of polypropylene and SAN, dynamic mechanical melt state properties and interlayer effects, 1295
Internal mixers, rheological properties of non-Newtonian fluids in, 1436
Internal reflectance, infrared absorbing polymer film, diffuse reflectance and transmittance of, 1666
Intrinsic stress, in newly developed copolyester thin films, 971
Ionomers
polyester ionomers, compatibility of with poly(ethylene terephthalate) and nylon, 6,6, 1658
poly(vinylidene fluoride) blends with polyolefin ionomers, radiation grafting functionalization to compatibilize blends, 452
Irradiation *see* Radiation
Isotactic polypropylene (IPP), impact-toughened isotactic prolypropylene, epitaxial crystallization and adhesive strength, 478
Isothermal crystallization kinetics, of poly(ethylene terephthalate), mathematical modeling and experimental measurement, 1594
Izod impact strength
failure processes in thermoplastics and an epoxy: mechanical tests, 60
impact fracture behavior of injection molded long glass fiber reinforced polypropylene, 79
of microcellular foamed PVC/wood-fiber composites, 1862

K

Kinetics
crystallization kinetics of poly(ethylene terephthalate), mathematical modeling and experimental measurement, 1594
miscible blend system containing crystallizable poly(butylene terephthalate), two-stage crystallization kinetics modeling, 583
non-isothermal polymer crystallization kinetics and Avrami master curves, 610
poly(butylene succinate) oligomer formation in presence of MBTO cata-

lyst, 905
of polyesterification of adipic acid with 1,3-butanediol, 1014
thermally crystallized oriented PET, kinetics of crystallization, 237

L

Laminates
adhesion between PVC and wood veneer laminates, effect of surface properties, 765
non anchor coating extrusion laminating process, 1633
Lamination
by photografting, 1229
thermally induced delamination of polymeric coatings in double-coated optical fibers, 1023
Latexes, film formation in reactive latex systems, effects of surface functional groups on, 884
Layered structures
acrylamide-grafted aliphatic polyesters, multi-layer modeling of diffusion of water in, 1313
layer rearrangement in coextruded structures, effect of polymer viscoelasticity on, 1060
Linear low density polyethylene (LLDPE)
HIPS/LLDPE/carbon black extrudates, shear rate effect on resistivity of, 1898
LLDPE blends, quantitative analysis of, 1716
LLDPE foams, rotational molding of, 1997
LLDPE/LDPE blends, transient elongational viscosity of, 1685
Liquid crystalline polymers (LCP)
blends of poly(ethylene terephthalate) with liquid-crystalline polymers, phase behavior of, 1572
copolyester and polyethersulfone blends, transport properties of methanol in, 1640
microstructure and morphology of copolyesters synthesized by transesterification of PET with LCP monomer, 1491
nylon 6, thermotropic liquid crystalline polymer, and thermoplastic elastomer ternary blends, 596
thermoforming, 322
Xydar, thermomechanical properties of magnetically and mechanically oriented copolyester, 914
Low density polyethylene (LDPE)
coextrusion process, numerical simulation of, 49
crosslinked closed cell polyolefin foams, recovery behavior of, 831
failure processes in thermoplastics and an epoxy: mechanical tests, 60
fracture failure processes: fractographic evidence, 69
high density polyethylene/polycarbonate blend, compatibilized with low density polyethylene grafted diallyl bisphenol A ether, 879
laminated films, by non anchor coating extrusion laminating, 1833
LDPE and LLDPE blends, quantitative analysis of, 1716
LDPE/PCE blends, degradation behavior of, 392
LDPE/starch blends containing ethylene/vinyl acetate copolymer as compatibilizer, preparation and characterization, 954
LLDPE/LDPE blends, transient elongational viscosity of, 1685
photochemical modification of by photocrosslinking, 1229
rheological and mechanical properties in polyethylene blends, 1969
Low-rate dynamic contact angles, on polystyrene, 1675
Lubrication, effect of PTFE on friction and wear behavior of polymers in rolling-sliding contact, 1946

M

Maleation, ethylene-propylene-diene terpolymer (EPDM) rubber, functionalization of via Alder Ene reaction, 1694
Mar resistance, of pigmented mineral-filled polypropylene (PP-PMF), 1906
Mathematical formulas, simple formulae for effective moduli of unidirectional aligned composites, 775
Mathematical modeling
crystallization kinetics of poly(ethylene terephthalate), 1594
dissolution of polymer and filled polymers, 90
"sharkskin effect" in polymer extrusion, 101
Mechanical properties
of ethylene-methacrylic acid copolymer (EMAA), flame-sprayed, 1873
of EVOH/copolyamide-6/6.9 blends, 1890
of fumed silica filled bis-GMA dispersions, 1142
impact-toughened isotactic polypropylene, epitaxial crystallization and adhesive strength of, 478
of injection molded PEEK/polyarylate blends, 1854
LDPE/PCE blends, degradation behavior of, 392
microcellular foamed PVC/wood-fiber composites, cell morphology and property relationships of, 1862
of microcellular polystyrene foams processed in supercritical carbon dioxide, 2055
polyester ionomers blended with poly(ethylene terephthalate) and nylon, 6,6, 1658
in polyethylene blends, 1969
polyolefin modified asphalts, effect of morphology on emulsion stability and mechanical performance of, 707
polypropylene sheet, mechanical properties and extrusion parameters for, 662
processing conditions and copolymer molecular weight, effect of on properties of compatibilized blends, 847
recycled glass fiber reinforced polyamide 66, impurities and mechanical properties of, 749
of thermally crosslinkable poly(ethylene terephthalate), 1174
of thermally crystallized oriented poly(ethylene terephthalate), 245
thin films and coatings, indentation measurements using dynamic mechanical analyzer, 1529
Melamine-formaldehyde composite, ternary composite, microstructure and stiffness analysis of, 1324
Melt fracture
extrudate distortion in controlled-rheology polypropylenes, 274
"sharkskin effect" in polymer extrusion, 101
Melting
in Buss Kneader, 1366
modular self wiping co-rotating twin screw extruders, melting model for, 727
polyester ionomers blended with poly(ethylene terephthalate) and nylon, 6,6, 1658
Melt rheology, in polyethylene blends, 1969
Melt spinning
dog-legging in, 341
on-line density and crystallinity, 1959
Melt strength, of polypropylene, thermoforming and, 1915
Melt vibration technology, polymer properties, control by, 1
Metals, thermoplastic bonding to metals via injection molding for macrocomposite manufacture, 870
2-Methacryloyloxy acetoacetate (MEA), protective coatings on aluminum by spontaneous polymerization, 299
Methanol, transport properties of in blends of liquid crystalline copolyester and polyethersulfone, 1640
9-Methylanthracene (9-MeAn), stress monitoring in thin polymer coatings using time resolved fluorescence, 693
Microcellular polymers
continuous extrusion using carbon dioxide, 1812
high-density polyethylene/isotactic polypropylene blends, processing and characterization of microcellular foamed blend, 1205
microcellular foamed PVC/wood-fiber composites, cell morphology and property relationships of, 1862
microcellular polystyrene foams processed in supercritical carbon dioxide, compressive behavior of, 2055
microcellular sheet extrusion system process design models for shaping and cell growth control, 674
Microdielectrometric analysis, on-line real-time dielectric measurements during compression molding process, 1566
Microhardness, lamellar regenerated cellulose, correlation between microhardness and optical anisotropies and crystallinity, 461
Microstructure
of copolyesters synthesized by transesterification of PET with LCP monomer, 1491
of melamine-formaldehyde ternary composite, 1324
Miscibility, poly(styrene-g-ethylene oxide) copolymers as interfacial agents in immiscible polymer blends, 1303

Mixing
axial discharge continuous mixer, design and performance, 936
distributive mixing in conveying elements of ZSK-53 co-rotating twin screw extruder, 926
Mobility, in poly(ethylene oxide)/poly(methyl methacrylate) blends, 1286
Modeling
acrylamide-grafted aliphatic polyesters, multi-layer modeling of diffusion of water in, 1313
cooling time for cylindrical plastic components, heat conduction models, 1048
crystallization kinetics of poly(ethylene terephthalate), 1594
distributive mixing in conveying elements of ZSK-53 co-rotating twin screw extruder, 926
epoxy-terminated poly(phenylene ether ketone), cure processing modeling and cure cycle simulation, 420
"in-out" recursive probability modeling, branched step-growth polymerization, 535
miscible blend system containing crystallizable poly(butylene terephthalate), two-stage crystallization kinetics modeling, 583
modular self wiping co-rotating twin screw extruders, melting model for, 727
multiscale model of polymer crystallization, growth of individual spherulites, 634
multiscale model of polymer crystallization, solidification of a macroscopic part, 644
nonlinear viscoelasticity in multiaxial creep of glassy polymers, 892
polymer weld strength predictions, 976
of rotational molding, 1387
self wiping co-rotating twin screw extruders, global computer software for, 1781
single screw extruders, helical channel model, 819
spin coating of thin and ultrathin polymer films, 2039
thermoviscoelastic behavior of physically aged polymers, 793
unidirectional fiber-reinforced polymers, modeling of relationship between morphology and viscoelastic behavior, 429
warpage in reinforced polymer disks, 1072
Modified polyamide (MPA), polyethylene/modified polyamide blends, morphology, barrier, and impact properties of, 1482
Molding
melt vibration and, 11
resin transfer molding, void formation in, 809
rotational molding: of low-density LLDPE foams, 1997
rotational molding: new models for, 1387
Molding transcription, of minute grooves, 1587
Mold shrinkage, injection molding processing conditions, effect on shrinkage in, 838
Monobutyl tinoxide (MBTO) catalyst, kinetics of forming poly(butylene succinate) oligomer with, 905
Montmorillonite, nanocomposites based on montmorillonite and unsaturated polyester, 1351
Morphology
barium sulfate-filled blends of polypropylene and SAN, dynamic mechanical melt state properties and interlayer effects, 1295
of binary blends of thermotropic liquid crystal polymers, 716
of carbon-black filled immiscible blends of poly(vinylidene fluoride) and high density polyethylene, 1649
of copolyesters synthesized by transesterification of PET with LCP monomer, 1491
equilibrium polymer blend morphology in dispersed two-phase flow, 1154
LDPE/PCE blends, degradation behavior of and, 392
microcellular foamed PVC/wood-fiber composites, cell morphology and property relationships of, 1862
polycaprolactone/polyethylene blends, phase inversion during compounding with a low melting major component, 1751
of polyethylene/modified polyamide blends, 1482
of polyethylene/polybutylene terephthalate blends, 1882
of polyethylene/polystyrene blends with supercritical carbon dioxide, 1112
polyolefin modified asphalts, emulsion stability and mechanical performance of and morphology, 707
polypropylene as matrix material of hybrid composites, comparison of isotactic and syndiotactic forms, 1463
polypropylene sheet, mechanical properties and extrusion parameters and, 662
of poly(vinylidene fluoride) blends with polyolefin ionomers, radiation grafting functionalization to compatibilize blends, 452
processing conditions and copolymer molecular weight, effect of on properties of compatibilized blends, 847
of segmented block copolymers of natural rubber and propylene glycol-toluene diisocyanate oligomers, 440
thermotropic liquid crystalline polyimide, crystallization morphology of, 1845
unidirectional fiber-reinforced polymers, modeling of relationship between morphology and viscoelastic behavior, 429
unsaturated polyester with rubber particles, toughening of and, 282
weld line morphology of injection molded polypropylene, 2020
MWPE, fracture failure processes: fractographic evidence, 69

N

Nanocomposites, based on montmorillonite and unsaturated polyester, 1351
Natural rubber (NR)
carbon black filled rubber vulcanizates, effect of holding time on high strain hysteresis loss, 1927
hysteresis loss, quantitative analysis, 38
Negative temperature coefficient, carbon black-filled HDPE composite, electrical phenomena, 471
Non-isothermal crystallization kinetics, of poly(ethylene terephthalate), mathematical modeling and experimental measurement, 1594
Nonlinear viscoelasticity, onset of in multiaxial creep of glassy polymers, 892
Non-Newtonian fluids, rheological properties of, alternative method based on power law model, 1436
Notch geometry, effect on notch-tip fields, 1031
Nucleating agents, extrusion and thermoforming of polypropylene, 516
Numerical simulation
of coextrusion process, 49
cooling time for cylindrical plastic components, heat conduction models, 1048
injection molding of thermoplastic wheat starch, 2029
injection stretch/blow molding process, 1399
multi-layer flow for polymer melts, numerical simulation, 1099
of rotational molding, 1387
Nylon
nylon 6, thermotropic liquid crystalline polymer, and thermoplastic elastomer ternary blends, 596
nylon 6/poly(ethylene-*co*-vinyl acetate) blend, equilibrium polymer blend morphology in dispersed two-phase flow, 1154
nylon 6/poly(ethylene terephthalate) blend, equilibrium polymer blend morphology in dispersed two-phase flow, 1154
nylon 6,6: compatibility of polyester ionomers with, 1658
nylon 6,6: effect of PTFE on friction and wear behavior of polymers in rolling-sliding contact, 1946
Nylon-polyethylene blends, modification of via *in situ* fiber formation, 371

O

Off-flavor compounds, in high-density polyethylene pipes, 922
Optical anisotropy, lamellar regenerated cellulose, correlation between microhardness and optical anisotropies and crystallinity, 461
Optical fibers, thermally induced delamination of polymeric coatings in double-coated optical fibers, 1023
Optical properties, of thermally crystallized oriented PET, 245
Optical radiation resistance, low refractive index, fluorinated methacrylate polymers for fiber cladding, radiation effects on, 699
Orientation, in sheared thermotropic

liquid crystalline copolyester, development and relaxation of, 1278
Oxetane polymers, dissolution of polymer and filled polymers, experimental investigation and modeling for, 90
Oxidation induction time
for EPDM and XLPE polymers, 1149
hot-water polyethylene pipes, assessment of lifetime of based on, 1244

P

Packaging, expandable polystyrene foam protective packaging, shock characteristics of, 558
Packing, fiber reinforcement, packing mechanics of, 1337
Partial frame process, void growth in, 1708
Particle bulk modulus, rubber-modified polymers, effects of particle bulk modulus on toughening mechanisms in, 1763
Percolation, carbon black-filled HDPE composite, electrical phenomena in, 471
Permeability
of acrylamide-grafted aliphatic polyesters, multi-layer modeling of, 1313
of polyethylene/modified polyamide blends, 1482
of polyethylene/polybutylene terephthalate blends, 1882
Peroxide vulcanization, triallylcyanurate as coagent in EPDM perioxide vulcanization, 689
PGEBANs, bisphenol-A novolac epoxide oligomer, dielectric properties of, 1838
Phase behavior, blends of poly(ethylene terephthalate) with liquid-crystalline polymers, 1572
Phase inversion, polycaprolactone/polyethylene blends, phase inversion during compounding with a low melting major component, 1751
Phase structure, barium sulfate-filled blends of polypropylene and SAN, dynamic mechanical melt state properties and interlayer effects, 1295
Phase transformation, of poly(vinylidene fluoride)/poly(vinyl fluoride) blend films, 1359
Phenolphthalein poly(ether ketone) (PEK-C), novel thermoplastic polymers with phenolphthalein in backbone chains, characterization of, 524
Phenolphthalein poly(ether sulfone) (PES-C), novel thermoplastic polymers with phenolphthalein in backbone chains, characterization of, 524
N-Phenyl maleimide (NMPI), protective coatings on aluminum by spontaneous polymerization, 299
N-Phenylmaleimide-styrene copolymers (PMS), epoxy resin and N-phenylmaleimide-styrene copolymer simultaneous interpenetrating polymer networks, 605
Photochemical modification, of polymers, 1229
Photocrosslinking, modification of polymers by, 1229
Physical aging, sub-glass-transition heat flow transition of cured epoxy resin, 947
Pigmented mineral-filled polypropylene (PP-PMF), scratch and mar resistance of, 1906
Pipes
burst pressure prediction of polyamide pipes, 657
hot-water PE pipes, assessment of lifetime of based on oxidation induction time data, 1244
off-flavor compounds in HDPE with different amounts of Abscents, 922
weld-lines in extruded plastic pipe, effect of spider shape on, simulation of, 1506
Planar random fiber composites, melamine-formaldehyde ternary composite, microstructure and stiffness analysis of, 1324
Plane strain fracture toughness, of polyphenylene sulfide, 403
Plasticizers, polyesterification of adipic acid with 1,3-butanediol, kinetics of, 1014
Plastic/wood-fiber composites, microcellular foamed PVC/wood-fiber composites, cell morphology and property relationships of, 1862
Polyacetal, effect of PTFE on friction and wear behavior of polymers in rolling-sliding contact, 1946
Polyamide (PA)
burst pressure prediction of polyamide pipes, 657
failure processes in thermoplastics and an epoxy: mechanical tests, 60
fracture failure processes: fractographic evidence, 69
PA6 and PPE compatibilized by poly[methylene(phenylene isocyanate)] coupler, 622
polyethylene/modified polyamide blends, morphology, barrier, and impact properties of, 1482
recycled glass fiber reinforced polyamide 66, mechanical properties of and impurities in, 749
recycled glass fiber reinforced polyamide 66!, durability of, 348
Polyarylate, injection molded PEEK/polyarylate blends, solid state and mechanical properties of, 1854
Poly(BAMO/AMMO), dissolution of, experimental investigation and modeling, 90
Polybutadiene rubber, crosslinking of without vulcanization agent, 1254
Poly(butylene succinate) (PBS), oligomer formation in presence of MBTO catalyst, kinetics of, 905
Poly(butylene terephthalate) (PBT)
cast and biaxially stretched film, formation and characterization of cast and biaxially stretched film, 505
miscible blend system containing crystallizable PBT, two-stage crystallization kinetics modeling for, 583
polyethylene/polybutylene terephthalate blends, rheology and solvent permeability of, 1882
Poly(caprolactone)-poly(ethylene glycol) block copolymer, LDPE/PCE blends, degradation behavior of, 392
Polycaprolactone (PCL)
LDPE/PCE blends, degradation behavior of, 392
polycaprolactone/polyethylene blends, phase inversion during compounding with a low melting major component, 1751
steady shear and dynamic properties of, 1426
Polycarbonate (PC)
complex injection molded products: numerical simulation model, 21
failure processes in thermoplastics and an epoxy: mechanical tests, 60
fracture failure processes: fractographic evidence, 69
high density polyethylene/polycarbonate blend, compatibilized with low density polyethylene grafted diallyl bisphenol A ether, 879
injected molded discs, birefringence for predicting stiffness of, 1770
PC powder, hot compaction and consolidation of, 1824
powder compacted at ambient temperature, pressureless sintering of, 1985
structural rearrangements during yielding of, 1443
transcription of minute width grooves in by injection molding, 1587
Polycyanurates, polycyanurate thermosetting system, dynamic and isothermal thermogravimetric analysis, 566
Poly(2,6-dimethyl-1,4-phenylene ether) (PPE), PA6 and PPE compatibilized by poly[methylene-(phenylene isocyanate)] coupler, 622
Poly(dimethyl siloxane)s (PDMSs), electrocapillary wave studies for, 741
Polyesterification
of adipic acid with 1,3-butanediol, kinetics of, 1014
poly(butylene succinate) oligomer formation in presence of MBTO catalyst, kinetics of, 905
Polyester resins, toughening of unsaturated polyester with rubber particles, 282, 290
Polyesters
acrylamide-grafted aliphatic polyesters, multi-layer modeling of diffusion of water in, 1313
biodegradable, steady shear and dynamic properties of, 1426
biodegradation of and environmental interaction, 1251
nanocomposites based on montmorillonite and unsaturated polyester, 1351
photochemical modification of by photocrosslinking, 1229
poly(ethylene terephthalate) and nylon 6,6, compatibility of polyester ionomers with, 1658
poly(ethylene terephthalate)/phospho-

rus-containing copolyester blends, characterization of, 1471
transport properties of methanol in blends of liquid crystalline copolyester and polyethersulfone, 1640
Poly(ether ether ketone) (PEEK), injection molded PEEK/polyarylate blends, solid state and mechanical properties of, 1854
Polyetherimide (PEI), variable temperature cure polyetherimide epoxy-based prepreg systems, 356
Polyethersulfone (PES)
interfacial tension between thermotropic liquid crystalline copolyester (TLCP) and polyethersulfone, 1536
transport properties of methanol in blends of liquid crystalline copolyester and polyethersulfone, 1640
Polyethylene (PE), *see also* High density polyethylene (HDPE); Linear low density polyethylene (LLDPE); Low density polyethylene (LDPE)
biodegradation of and environmental interaction, 1251
carbon black-filled immiscible blends of with poly(vinylidene fluoride), 1649
complex injection molded products: numerical simulation model, 21
crosslinked polyethylene (XLPE), oxidation induction time measurements for, 1149
extrusion of polyethylene/polystyrene blends with supercritical carbon dioxide, 1112
films, corona treatment of, 965
heat transfer coefficient in high pressure tubular reactor for ethylene polymerization, 992
HIPS/LLDPE/carbon black extrudates, shear rate effect on resistivity of, 1898
hot-water PE pipes, assessment of lifetime of based on oxidation induction time data, 1244
PEO/PMMA blends, free volume, mobility, and structural relaxations in, 1286
photochemical modification of by photocrosslinking, 1229
polybutylene terephthalate/PE blends, rheology and solvent permeability of, 1882
polycaprolactone/polyethylene blends, phase inversion during compounding with a low melting major component, 1751
polyethylene/modified polyamide blends, morphology, barrier, and impact properties of, 1482
polymer melts, surface tensions of using axisymmetric drop shape analysis (ADSA), 757
rheological and mechanical properties of PE blends, 1969
self-reinforced high density PE, continuous extrusion of, 1805
stress crack performance of, full notch creep test, 330
Poly(ethylene-co-vinyl acetate) (PEVA), nylon 6/poly(ethylene-co-vinyl acetate) blend, equilibrium polymer blend morphology in dispersed two-phase flow, 1154
Poly(ethylene naphthalate) (PNT), melt spinning process, dog-legging in, 341
Poly(ethylene oxide) (PEO), chain orientation in sheared molten polymer fractions, by infrared dichroism, 1559
Poly(ethylene terephthalate) (PET)
blends of poly(ethylene terephthalate) with liquid-crystalline polymers, phase behavior of, 1572
for blow molding applications, DSC studies of crystallization characteristics of, 265
compatibility of polyester ionomers with, 1658
crystallization kinetics of, mathematical modeling and experimental measurement, 1594
films, effect of surface modification by Ar+ irradiation on wettability of surfaces of, 1185
grey discoloration of PET prepared with antimony catalysts, 1039
injection stretch/blow molding, experimental study and numerical simulation of, 1399
melt spinning of, on-line density and crystallinity, 1959
melt spinning process, dog-legging in, 341
microstructure and morphology of copolyesters synthesized by transesterification of PET with LCP monomer, 1491
nylon 6/poly(ethylene terephthalate) blend, equilibrium polymer blend morphology in dispersed two-phase flow, 1154
phosphorus-containing copolyester/PET blends, characterization of, 1471
rheological and mechanical relaxation behavior of thermally crosslinkable PET, 1174
thermally crystallized oriented PET, kinetics of crystallization for, 237
thermally crystallized oriented PET, physical and optical properties of, 245
Polyhydroxybutyrate-co-hydroxyvalerate (PHBV), steady shear and dynamic properties of, 1426
Polyimide, thermotropic liquid crystalline polyimide, crystallization morphology of, 1845
Poly(lactic acid) (PLA)
free radical branching of polylactide by reactive extrusion, 311
steady shear and dynamic properties of, 1426
Polymer blends
barium sulfate-filled blends of polypropylene and poly(styrene-co-acrylonitrile), dynamic mechanical melt state properties and interlayer effects, 1295
binary blends of thermotropic liquid crystal polymers, compatibility in, 716
crystallizable poly(butylene terephthalate) system, two-stage crystallization kinetics modeling, 583
epoxy resin and *N*-phenylmaleimide-styrene copolymer simultaneous interpenetrating polymer networks, 605
equilibrium polymer blend morphology in dispersed two-phase flow, 1154
of ethylene-vinyl alcohol (EVOH) copolymer/HDPE blends, compatibilization through functionalization, 1420
EVOH/copolyamide-6/6.9 blends, thermal, dynamic-mechanical and shear rheology behavior of, 1890
high-density polyethylene/isotactic polypropylene blends, processing and characterization of microcellular foamed blend, 1205
of high-density polyethylene with other polyethylenes, environmental stress cracking resistance of, 1413
high density polyethylene/polycarbonate blend, compatibilized with low density polyethylene grafted diallyl bisphenol A ether, 879
immiscible blends, poly(styrene-g-ethylene oxide) copolymers as interfacial agents in, 1303
LDPE and LLDPE blends, quantitative analysis of, 1716
LDPE/PCE blends, degradation behavior of, 392
LDPE/starch blends containing ethylene/vinyl acetate copolymer as compatibilizer, preparation and characterization, 954
of liquid crystalline copolyester and polyethersulfone, transport properties of methanol in, 1640
LLDPE/LDPE blends, transient elongational viscosity of, 1685
mechanical properties of and morphology, effect of processing conditions and copolymer molecular weight on compatibilized blends, 847
nylon 6, thermotropic liquid crystalline polymer, and thermoplastic elastomer ternary blends, 596
nylon-polyethylene blends, modification of via *in situ* fiber formation, 371
PA6 and PPE compatibilized by poly[methylene(phenylene isocyanate)] coupler, 622
PEEK/polyarylate blends, solid state and mechanical properties of injection molded blends, 1854
polycaprolactone/polyethylene blends, phase inversion during compounding with a low melting major component, 1751
polyethylene blends, rheological and mechanical properties of, 1969
polyethylene/modified polyamide blends, morphology, barrier, and impact properties of, 1482
poly(ethylene oxide)/poly(methyl methacrylate) blends, free volume, mobility, and structural relaxations in, 1286
polyethylene/polybutylene terephthalate blends, rheology and solvent permeability of, 1882
of poly(ethylene terephthalate) with liquid-crystalline polymers, phase behavior of, 1572
poly(ethylene terephthalate)/phosphorus-containing copolyester blends, characterization of, 1471
poly(phenylene oxide)/poly(phenylene

sulfide) blends, vibration welding of, 2046
polypropylene-ethylene-propylene blends, "essential work of fracture" (EWF) method, 2063
polypropylene-ethylene propylene diene terpolymer blends (PP-EPDM), shear viscosity of, 590
poly(vinylidene fluoride) blends with polyolefin ionomers, radiation grafting functionalization to compatibilize blends, 452
of poly(vinylidene fluoride) and high density polyethylene, carbon black-filled immiscible blends of, 1649
poly(vinylidene fluoride)/poly(vinyl fluoride) blend films, phase transformation of, 1359
Polymer coatings
protective coatings on aluminum by spontaneous polymerization, 299
stress monitoring in using time resolved fluorescence, 693
Polymer dissolution, oxetane polymers, experimental investigation and modeling for, 90
Polymer melts
rheological properties of, 1436
surface tensions of by axisymmetric drop shape analysis (ADSA), 757
Polymer networks, simultaneous interpenetrating polymer networks of epoxy and *N*-phenylmaleimide-styrene copolymers, 605
Polymer properties
control of by melt vibration technology, 1
method of additive properties, density and glass transition temperature in polyurethanes, 2072
Polymer research, in Sweden, 1217
Poly[methylene(phenylene isocyanate)] (PMPI), PA6 and PPE compatibilized by PMPI coupler, 622
Poly(methyl methacrylate) (PMMA)
failure processes in thermoplastics and an epoxy: mechanical tests, 60
low refractive index, fluorinated methacrylate polymers for fiber cladding, radiation effects on, 699
nonlinear viscoelasticity in multiaxial creep of glassy polymers, 892
PEO/PMMA blends, free volume, mobility, and structural relaxations in, 1286
polystyrene/poly(methyl methacrylate) blend, equilibrium polymer blend morphology in dispersed two-phase flow, 1154
transcription of minute width grooves in amorphous polyolefin by injection molding, 1587
Polyolefins
corona treatment of polyolefin films, 965
crosslinked closed cell polyolefin foams, recovery behavior of, 831
emulsion stability and mechanical performance of polyolefin modified asphalts, effect of morphology on, 707
high density polyethylene/polycarbonate blend, compatibilized with low density polyethylene grafted diallyl bisphenol A ether, 879
poly(vinylidene fluoride) blends with polyolefin ionomers, radiation grafting functionalization to compatibilize blends, 452
transcription of minute width grooves in amorphous polyolefin by injection molding, 1587
Poly(phenylene ether ketone), epoxy-terminated poly(phenylene ether ketone), cure processing modeling and cure cycle simulation for, 420
Poly(phenylene oxide) (PPO), poly(phenylene sulfide)/poly(phenylene oxide) blends, vibration welding of, 2046
Poly(phenylene sulfide) (PPS)
plane strain fracture toughness of, 403
poly(phenylene oxide)/poly(phenylene sulfide) blends, vibration welding of, 2046
Polypropylene (PP)
barium sulfate-filled blends of polypropylene and poly(styrene-co-acrylonitrile), dynamic mechanical melt state properties and interlayer effects, 1295
carbon black-filled polypropylene, shear viscosity of at very low shear stresses, 616
controlled-rheology polypropylenes, extrudate distortion in, 274
extrusion and thermoforming, influence of nucleating agents on, 516
failure processes in thermoplastics and an epoxy: mechanical tests, 60
filled PP, scratch and mar resistance of, 1906
films, corona treatment of, 965
fracture failure processes: fractographic evidence, 69
glass fiber reinforced, impact fracture behavior of injection molded long glass fiber reinforced polypropylene, 79
high-density polyethylene/isotactic polypropylene blends, processing and characterization of microcellular foamed blend, 1205
hot plate welding of: crystallization kinetics, 1121
hot plate welding of, process simulation for, 1133
hydrosilylation of terminal double bonds in through reactive processing, 1976
impact-toughened isotactic polypropylene, epitaxial crystallization and adhesive strength of, 478
as matrix materials of hybrid composites, comparison of isotactic and syndiotactic, 1463
melt spinning process, dog-legging in, 341
melt strength of, thermoforming and, 1915
melt vibration technology for control of polymer properties, 1
rubber-toughened polypropylene thin plates, fracture toughness of, 2063
sheets, mechanical properties of and extrusion parameters, 662
surface tensions of polymer melts using axisymmetric drop shape analysis (ADSA), 757
weld line morphology of injection molded polypropylene, 2020
Polypropylene-ethylene propylene diene terpolymer blends (PP-EPDM), shear viscosity of at very low stress, 590
Polystyrene (PS)
expandable polystyrene foam protective packaging, shock characteristics of, 558
extrusion of polyethylene/polystyrene blends with supercritical carbon dioxide, 1112
high impact polystyrene, degradation of with and without starch in concentrated activated sludge, 863
HIPS/LLDPE/carbon black extrudates, shear rate effect on resistivity of, 1898
injected molded products, as-molded shrinkage measurements on, 254
low-rate dynamic contact angles on, 1675
microcellular polystyrene foams processed in supercritical carbon dioxide, compressive behavior of, 2055
polymer melts, surface tensions of using axisymmetric drop shape analysis (ADSA), 757
polystyrene/poly(methyl methacrylate) blend, equilibrium polymer blend morphology in dispersed two-phase flow, 1154
properties of, melt vibration technology for control of, 1
rubber modified, infrared imaging of stress-crazing in, 385
sheared molten polystyrene fractions, rheo-infrared-dichroism study of, 1270
sulfonation: a review, 783
Poly(styrene-*co*-acrylonitrile) (SAN), barium sulfate-filled blends of polypropylene and SAN, dynamic mechanical melt state properties and interlayer effects, 1295
Poly(styrene-*g*-ethylene oxide) copolymers, as interfacial agents in immiscible polymer blends, 1303
Polystyrene (PS)/polyethylene (PE) blends, mechanical properties and morphology, effects of processing conditions and copolymer molecular weight on, 847
Polytetrafluoroethylene (PTFE), rolling-sliding contact and, 1946
Polyurethane
density and glass transition temperature in, 2072
segmented block copolymers of natural rubber and propylene glycol-toluene diisocyanate oligomers, 440
Polyvinyl chloride (PVC)
adhesion between PVC and wood veneer laminates, effect of surface properties, 765
failure processes in thermoplastics and an epoxy: mechanical tests, 60
fracture failure processes: fractographic evidence, 69
microcellular foamed PVC/wood-fiber composites, cell morphology and property relationships of, 1862
selective froth flotation of PVC from PVC/PET mixtures for, 1378

Poly(vinyl fluoride) (PVF), poly(vinylidene fluoride)/poly(vinyl fluoride) blend films, phase transformation of, 1359
Poly(vinylidene fluoride) (PVDF)
blends with polyolefin ionomers, radiation grafting functionalization to compatibilize blends, 452
carbon black-filled immiscible blends of with high density polyethylene, 1649
poly(vinylidene fluoride)/poly(vinyl fluoride) blend films, phase transformation of, 1359
Positive temperature coefficient, carbon black-filled HDPE composite, electrical phenomena in, 471
Powders
polycarbonate powder, hot compaction and consolidation of, 1824
polycarbonate powder compacted at ambient temperature, pressureless sintering of, 1985
Prepreg systems, variable temperature cure polyetherimide epoxy-based prepreg systems, 356
Pressureless sintering, of polycarbonate powder compacted at ambient temperature, 1985
Pressure sensitivity, effect on notch-tip fields, 1031
Probability modeling, "in-out" recursive probability modeling, branched step-growth polymerization, 535
Process control, profile control of plastic sheet in industrial polymer processing, 1740
Process design, microcellular sheet extrusion system process design models for shaping and cell growth control, 674
Profile control, of plastic sheet in industrial polymer processing, 1740
Propylene glycol-toluene diisocyanate oligomers, segmented block copolymers of natural rubber with, 440
Pultrusion, fluid mechanics analysis of two-dimensional pultrusion die inlet, 1611
P-V-T relationships, linear and nonlinear hydrocarbons, relationship between *P-V-T* and flow behavior, 464
Pyrrole, conductive elastomeric foams prepared by *in situ* vapor phase polymerization of pyrrole and copolymerization of pyrrole and *N*-methylpyrrole, 857

Q

Quantitative analysis
hysteresis loss of nonlinear rubbery polymer, 38
of LDPE and LLDPE blends, 1716

R

Radiation
low refractive index, fluorinated methacrylate polymers for fiber cladding, radiation effects on, 699
PET films, effect of surface modification by Ar+ irradiation on wettability of surfaces of, 1185
radiation grafting functionalization to compatibilize blends of poly(vinylidene fluoride) with polyolefin ionomers, 452
Reactive extrusion
free radical branching of polylactide by reactive extrusion, 311
of polypropylene, hydrosilylation of terminal double bonds in through reactive processing, 1976
stability of, 2010
Reactive latexes, film formation and tensile strength in, effects of surface functional groups on, 884
Recovery behavior, crosslinked closed cell polyolefin foams, 831
Recycling
glass fiber reinforced polyamide 66: durability of in-plant recycled, 348
glass fiber reinforced polyamide 66: mechanical properties and impurities in recycled material, 749
selective froth flotation of PVC from PVC/PET mixtures for, 1378
Reflectance, infrared absorbing polymer film, diffuse reflectance and transmittance of, 1666
Regenerated cellulose, lamellar regenerated cellulose, correlation between microhardness and optical anisotropies and crystallinity, 461
Reinforced Melamine Compound (RMC), microstructure and stiffness analysis of, 1324
Relaxation properties
of flame-sprayed ethylene-methacrylic acid copolymer (EMAA), 1873
in poly(ethylene oxide)/poly(methyl methacrylate) blends, 1286
Residence time
in a Buss Kneader, 1366
degree of fill in counter-rotating twin screw extruder, 1193
Residual stress, of complex injection molded products: numerical simulation model, 21
Resin transfer molding, void formation in, 809
Resistivity, HIPS/LLDPE/carbon black extrudates, shear rate effect on resistivity of, 1898
Rheo-infrared spectroscopy
chain orientation in sheared molten polymer fractions, 1559
sheared molten polystyrene fractions, 1270
Rheological properties
of biodegradable polyesters, 1426
of EVOH/copolyamide-6/6.9 blends, 1890
of fumed silica filled bis-GMA dispersions, 1142
of non-Newtonian fluids in internal mixers, 1436
in polyethylene blends, 1969
of polyethylene/polybutylene terephthalate blends, 1882
of poly(ethylene terephthalate)/phosphorus-containing copolyester blends, 1471
of polymer melts, 1436
of thermally crosslinkable poly(ethylene terephthalate), 1174
Rolling-sliding contact, effect of PTFE on friction and wear behavior of polymers in rolling-sliding contact, 1946
Rotational molding
of low-density LLDPE foams, 1997
new models for, 1387
Rubber
carbon black filled rubber vulcanizates, effect of holding time on high strain hysteresis loss, 1927
dynamically vulcanized thermoplastic elastomers, shear viscosity of, 590
ethylene-propylene-diene terpolymer (EPDM) rubber, functionalization of via Alder Ene reaction, 1694
hysteresis loss, quantitative analysis of, 38
infrared imaging of stress-crazing in rubber modified polystyrene, 385
polybutadiene rubber, crosslinking of without vulcanization agent, 1254
rubber-modified polymers, effects of particle bulk modulus on toughening mechanisms in, 1763
rubber-toughened polypropylene thin plates, fracture toughness of, 2063
segmented block copolymers of natural rubber and propylene glycol-toluene diisocyanate oligomers, 440
toughening of unsaturated polyester with rubber particles, 282, 290

S

Scanning electron microscopy
fracture failure processes: fractographic evidence, 69
impact fracture behavior of injection molded long glass fiber reinforced polypropylene, 79
Scratch resistance, of pigmented mineral-filled polypropylene (PP-PMF), 1906
Screw extrusion *see* Single-screw extruders; Twin screw extruders
Selective separation, of PVC from PVC/PET mixtures for recycling, by froth flotation, 1378
Self-reinforced high density polyethylene, continuous extrusion of, 1805
Self wiping co-rotating twin screw extruders
melting model for, 727
polymer flows in, global computer software for, 1781
Semicrystalline thermoplastics, solidification of, multiscale model, 634, 644
Sephadex, the Sephadex story, 1220
Sheared molten polymer fractions
chain orientation in, 1559
polystyrene fractions, rheo-infrared-dichroism study of, 1270
Shear rate, HIPS/LLDPE/carbon black extrudates, shear rate effect on resistivity of, 1898
Shear strength
failure processes in thermoplastics and an epoxy: mechanical tests, 60
fracture failure processes: fractographic evidence, 69
Shear thickening, semidilute solutions of gently solubilized starch, flow-induced structure of, 1523
Shear vibration, melt vibration technology for control of polymer properties, 1

Shear viscosity
carbon black-filled polypropylene, shear viscosity at very low shear stresses, 616
of rubber modified thermoplastics, at very low stress, 590
Sheet extrusion
microcellular sheet extrusion system process design models for shaping and cell growth control, 674
polypropylene sheet, mechanical properties and extrusion parameters of, 662
Sheet processing, profile control in industrial polymer processing, 1740
Shock characteristics, of expandable polystyrene foam protective packaging, 558
Shrinkage
as-molded shrinkage measurements on polystyrene injection molded products, 254
of complex injection molded products: numerical simulation model, 21
injection molding processing conditions, effect on shrinkage in, 838
Simha-Somcynsky equation of state (SS-EOS), linear and nonlinear hydrocarbons, relationship between P-V-T and flow behavior, 464
Simulation
epoxy-terminated poly(phenylene ether ketone), cure processing modeling and cure cycle simulation, 420
filling stage in injection molding, 3D finite element method, 223
high Weissenberg number simulation of an annular extrudate swell, 409
hot plate welding of polypropylene, 1133
injection molding of thermoplastic wheat starch, numerical simulation of, 2029
injection stretch/blow molding process, 1399
multi-layer flow for polymer melts, numerical simulation, 1099
part bending strength, effect of gas channel design on, 1085
weld-lines in extruded plastic pipe, effect of spider shape on, 1506
Single-screw extruders
grooved feed, improving productivity and reducing viscous heating effects, 1199
helical channel model for, 819
performance of, effect of new pin mixing section on, 1623
Sintering, of polycarbonate powder compacted at ambient temperature, 1985
Solidification, multiscale model for polymer crystallization, 634, 644
Solid state processing
polycarbonate powder, hot compaction and consolidation of, 1824
polycarbonate powder compacted at ambient temperature, pressureless sintering of, 1985
Solid state properties, injection molded PEEK/polyarylate blends, solid state and mechanical properties of, 1854
Solid surface tension, low-rate dynamic contact angles on polystyrene, 1675
Solid waste degradation, high impact polystyrene, degradation of with and without starch in concentrated activated sludge, 863
Solubility, of methanol in blends of liquid crystalline copolyester and polyethersulfone, 1640
Solubility studies, oxetane polymers, experimental investigation and modeling of, 90
Solvent permeability, of polyethylene/polybutylene terephthalate blends, 1882
Spin coating, of thin and ultrathin films, 2039
Spiral mandrel dies, design of, 573
Spontaneous polymerization, protective coatings on aluminum by spontaneous polymerization, 299
Squeezing flow, of viscoplastic fluids, 1793
Starch
LDPE/starch blends containing ethylene/vinyl acetate copolymer as compatibilizer, preparation and characterization, 954
semidilute solutions of gently solubilized starch, flow-induced structure of, 1523
thermoplastic wheat starch injection molding of, numerical simulation, 2029
Steady shear, of biodegradable polyesters, 1426
Step-growth polymer systems, "in-out" recursive probability modeling, branched step-growth polymerization, 535
Stiffness
of injection molded polycarbonate discs, birefringence for predicting, 1770
of melamine-formaldehyde ternary composite, 1324
Stress cracking
of high-density polyethylene (HDPE), environmental stress cracking resistance of blends of with other polyethylenes, 1413
of polyethylenes, full notch creep test, 330
Stress monitoring, in thin polymer coatings using time resolved fluorescence, 693
Stress relaxation
bulk moduli from stress relaxation data, 1261
of polybutadiene rubber, crosslinked without vulcanization agent, 1254
Stretch/blow molding, of poly(ethylene terephthalate): experimental study and numerical simulation of, 1399
Structural relaxation, in poly(ethylene oxide)/poly(methyl methacrylate) blends, 1286
Styrene, protective coatings on aluminum by spontaneous polymerization, 299
Styrene-butadiene rubber (SBR)
carbon black filled rubber vulcanizates, effect of holding time on high strain hysteresis loss, 1927
hysteresis loss, quantitative analysis, 38
Sulfonation, homogeneous and heterogeneous sulfonation: a review, 783
Supercritical fluids (SCFs)
extrusion of polyethylene/polystyrene blends with supercritical carbon dioxide, 1112
microcellular polystyrene foams processed in supercritical carbon dioxide, compressive behavior of, 2055
Surface photografting, modification of polymers by, 1229
Surface properties, adhesion between PVC and wood veneer laminates, effect of surface properties, 765
Surface tension
adhesion between PVC and wood veneer laminates, effect of surface properties, 765
extrudate swell from square and rectangular channels, effect of on, 1167
low-rate dynamic contact angles on polystyrene, 1675
surface tensions of polymer melts by axisymmetric drop shape analysis (ADSA), 757
Sweden, polymer research in, 1217

T

Taguchi Method of Parameter Design, shock characteristics of expandable polystyrene foam protective packaging, 558
Tangential counter-rotating twin screw extrusion, screw pumping characteristics and composite machine behavior, 485
Tensile modulus, simple formulae for effective moduli of unidirectional aligned composites, 775
Tensile strength, in reactive latex systems, effects of surface functional groups on, 884
Tensile tests
environmental stress cracking resistance of blends of high-density polyethylene with other polyethylenes, 1413
failure processes in thermoplastics and an epoxy: mechanical tests, 60
fracture failure processes: fractographic evidence, 69
polycarbonate, structural rearrangements during yielding of, 1443
polypropylene as matrix materials of hybrid composites, comparison of isotactic and syndiotactic forms, 1463
weld-lines in extruded plastic pipe, effect of spider shape on, simulation of, 1506
Ternary composite, melamine-formaldehyde composite, microstructure and stiffness analysis of, 1324
Thermal expansion, warpage in reinforced polymer disks, modeling, 1072
Thermal expansion coefficients, copolyester thin films, thermal expansion coefficients of newly developed films, 499
Thermal properties
of EVOH/copolyamide-6/6.9 blends, 1890
LDPE/PCE blends, degradation behavior, 392

polycyanurate thermosetting system, dynamic and isothermal thermogravimetric analysis, 566
of poly(ethylene terephthalate)/phosphorus-containing copolyester blends, 1471
Thermal spraying, of ethylene-methacrylic acid copolymer (EMAA), 1873
Thermal stress, in newly developed copolyester thin films, 971
Thermoforming
of liquid crystalline polymers, (LCP), 322
melt vibration and, 12
of polypropylene: influence of nucleating agents, 516
of polypropylene: melt strength and, 1915
Thermogravimetric analysis, polycyanurate thermosetting system, dynamic and isothermal thermogravimetric analysis, 566
Thermomechanical properties
of magnetically and mechanically oriented liquid crystalline copolyester Xydar, 914
newly developed thin films: thermal and intrinsic stress in, 971
Thermoplastics
bonding to metals via injection molding for macro-composite manufacture, 870
Buss Kneader, residence time distributions and flow and melting studies in, 1366
complex injection molded products: numerical simulation model, 21
fracture failure processes: fractographic evidence, 69
fracture failure processes: mechanical tests, 60
injection molding processing conditions, effect on shrinkage in, 838
nylon 6, thermotropic liquid crystalline polymer, and thermoplastic elastomer ternary blends, 596
with phenolphthalein in backbone chains, characterization, 524
poly(ethylene terephthalate), on-line density and crystallinity during melt spinning, 1959
polymer crystallization, multiscale model, 634, 644
polyphenylene sulfide, plane strain fracture toughness, 403
polypropylene sheet, mechanical properties and extrusion parameters, 662
rheological properties of non-Newtonian fluids in internal mixers, 1436
rubber modified, shear viscosity at very low stress, 590
wheat starch injection molding, numerical simulation of, 2029
Thermosets
copolyester thin films: thermal expansion coefficients of newly developed films, 499
copolyester thin films: thermal and intrinsic stress in, 971
polycyanurate thermosetting system, dynamic and isothermal thermogravimetric analysis, 566
Thermotropic liquid crystalline polymers (TLCPs)
compatibility in binary blends of, 716
interfacial tension between TLCP and polyethersulfone, 1536
nylon 6, TLCP, and thermoplastic elastomer ternary blend, 596
orientation, relaxation and development of in, 1278
Thermoviscoelastic behavior, of physically aged polymers: a model, 793
Thin films
copolyester thin films: thermal expansion coefficients of newly developed films, 499
copolyester thin films: thermal and intrinsic stress in, 971
indentation measurements using dynamic mechanical analyzer, 1529
spin coating of, modeling, 2039
stress monitoring in thin polymer coatings using time resolved fluorescence, 693
Threadline density, poly(ethylene terephthalate) during melt spinning, 1959
Time resolved fluorescence, stress monitoring in thin polymer coatings using, 693
Toughening
rubber-modified polymers, effects of particle bulk modulus on toughening mechanisms in, 1763
rubber modified polystyrene, infrared imaging of stress-crazing in, 385
of unsaturated polyester with rubber particles, 282, 290
Transcription, of minute width grooves by injection molding, 1587
Transient elongational viscosity, of LLDPE/LDPE blends, 1685
Transport properties, of methanol in blends of liquid crystalline copolyester and polyethersulfone, 1640
Triallylcyanurate (TAC), as coagent in EPDM perioxide vulcanization, 689
Tribological properties, effect of PTFE on friction and wear behavior of polymers in rolling-sliding contact, 1946
Tubular reactor, high pressure tubular reactor for ethylene polymerization, heat transfer coefficient in, 992
Twin screw extruders
counter-rotating twin screw extruder, degree of fill in, 1193
distributive mixing in conveying elements of ZSK-53 co-rotating twin screw extruder, 926
extrusion of polyethylene/polystyrene blends with supercritical carbon dioxide, 1112
LUDOVIC software for flow calculations in self-wiping corotating twin screw extruder, 1781
modular self wiping co-rotating twin screw extruders, melting model for, 727
reactive extrusion, stability of, 2010
self wiping co-rotating twin screw extruders, global computer software for, 1781
tangential counter-rotating twin screw extrusion, screw pumping characteristics and composite machine behavior, 485
three-dimensional velocity field in translational region of co-rotating twin-screw extruder, 1549

U

Ultra high molecular weight polyethylene (UHPE)
failure processes in thermoplastics and an epoxy: mechanical tests, 60
fracture failure processes: fractographic evidence, 69
Ultrathin films, spin coating of, modeling, 2039
Ultraviolet radiation, photochemical modification polymers of by photocrosslinking, 1229
Unidirectional fiber-reinforced polymers, modeling of relationship between morphology and viscoelastic behavior, 429
Unsaturated polyester resins (UPs), toughening of unsaturated polyester with rubber particles, 282, 290

V

Vapor phase polymerization, conductive elastomeric foams prepared by *in situ* vapor phase polymerization of pyrrole and copolymerization of pyrrole and *N*-methylpyrrole, 857
Velocity field, in translational region of co-rotating twin-screw extruder, 1549
Vibration welding, of poly(phenylene oxide)/poly(phenylene sulfide) blends, 2046
Viscoelastic fluids, high Weissenberg number simulation of an annular extrudate swell, 409
Viscoelastic properties
of EVOH/copolyamide-6/6.9 blends, 1890
glassy polymers, onset of nonlinear viscoelasticity in multiaxial creep of, 892
layer rearrangement in coextruded structures, effect on, 1060
multi-layer flow for polymer melts, effect of viscoelasticity on interface shape in dies, 1099
of polyethylene/polybutylene terephthalate blends, 1882
of polyethylene/polystyrene blends with supercritical carbon dioxide, 1112
thermoviscoelastic behavior of physically aged polymers, 793
unidirectional fiber-reinforced polymers, modeling of relationship between morphology and viscoelastic behavior, 429
Viscoplastic fluids, squeezing flow of, 1793
Viscosity
melt vibration technology for control of polymer properties, 1
transient elongational viscosity of LLDPE/LDPE blends, 1685
Viscosity ratio, equilibrium polymer blend morphology in dispersed two-phase flow, 1154
Void growth, in partial frame process, 1708

Vulcanization
dynamically vulcanized thermoplastic elastomers, shear viscosity of, 590
polybutadiene rubber, crosslinking of without vulcanization agent, 1254
triallylcyanurate as coagent in EPDM perioxide vulcanization, 689

W

Wall slip, squeezing flow of viscoplastic fluids subject to, 1793
Warpage
of complex injection molded products: numerical simulation model, 21
in reinforced polymer disks, modeling, 1072
Water diffusivity, acrylamide-grafted aliphatic polyesters, multi-layer modeling of diffusion of water in, 1313
Wear, effect of PTFE on friction and wear behavior of polymers in rolling-sliding contact, 1946
Weissenberg numbers, high Weissenberg number simulation of an annular extrudate swell, 409
Welding
hot plate welding of polypropylene: crystallization kinetics of, 1121
hot plate welding of polypropylene: process simulation, 1133
polymer weld strength predictions, 976
vibration welding of poly(phenylene oxide)/poly(phenylene sulfide) blends, 2046
weld line morphology of injection molded polypropylene, 2020
weld-lines in extruded plastic pipe, effect of spider shape on, simulation of, 1506
Wettability, of poly(ethylene terephthalate), wettability of surfaces and Ar+ irradiation, 1185
Wood-fiber composites, microcellular foamed PVC/wood-fiber composites, cell morphology and property relationships of, 1862
Wood veneer laminates, adhesion between PVC and wood veneer laminates, effect of surface properties, 765

X

Xydar, thermomechanical properties of magnetically and mechanically oriented copolyester, 914

Y

Yield, notch-tip fields, effects of pressure sensitivity and notch geometry on, 1031
Yield point, polycarbonate, structural rearrangements during yielding of, 1443
Young's modulus, polypropylene as matrix material of hybrid composites, comparison of isotactic and syndiotactic forms, 1463

Z

Zero-shear viscosity, linear and nonlinear hydrocarbons, relationship between *P-V-T* and flow behavior, 464
Zinc acetyl acetonate, poly(vinylidene fluoride) blends with polyolefin ionomers, radiation grafting functionalization to compatibilize blends, 452

Author Index

Abbès, B., 2029
Agarwal, R., 299
Agassant, J. F., 1399
Aharoni, S. M., 1039
Ahn, K. H., 1708
Al-Abduljabbar, A., 1031
Alberola, N. D., 429
Albertsson, A.-C., 348, 749, 1251, 1313
Araki, T., 590, 616
Arora, K. A., 2055
Arzak, A., 1854
Ayad, R., 2029

Bacaloglu, R., 1014
Bai, C.-C., 341
Baik J. J., 274
Bakalis, S., 1549
Balatinecz, J. J., 765, 1862
Baldwin, D. F., 674
Bang, D.-S., 485
Bansal, V., 1959
Bauer, D. R., 2020
Bawiskar, S., 727
Behravesh, A. H., 1812
Bei, J. Z., 392
Bell, A. C., 1048
Bell, J. P., 299
Bellander, M., 1254
Bellet, M., 1399
Bennett, J. A., 134
Benzarti, K., 429
Berglund, L. A., 1351
Berndt, C. C., 1873
Bertilsson, H., 1303
Bertolucci, P. R. H., 699
Bessette, M. D., 857
Bhattacharya, M., 1426
Bhattacharya, S. N., 1685, 1915
Bhowmick, A. K., 38, 1927
Biagtan, E., 699
Biesiada, K., 1014
Bikiaris, D., 954
Boyd, R. H., 1640
Boydell, P., 348, 749
Boykin, T. L., 1658
Brandolin, A., 992
Breuer, O., 1898
Brogan, J. A., 1873
Brostow, W., 204
Buckley, C. P., 892
Bur, A. J., 213
Busser, R. J., 1536

Cao, Z., 90
Capiati, N. J., 992
Carianni, G., 452
Carlson, D., 311
Carriere, C. J., 1523
Cartier, H., 177
Cassagnau, P., 1882
Chan, C.-M., 1649
Chang, C.-Y., 809
Chang, F.-C., 622, 1471
Chang, S.-J., 1471
Chao, W.-L., 605
Charbon, C., 634, 644
Chassapis, C., 79
Chen, H.-L., 530
Chen, J. C., 371
Chen, S.-C., 1085
Chen, T., 420
Chen, X., 947
Chen, X.-H., 1763
Chen, Y. K., 1946
Chen, Y.-Y., 605
Cheng, H., 926
Cheung, L. K., 757
Chiang, C.-R., 622
Chien, R. D., 1085
Chiou, J.-Y., 49
Cho, K., 1969
Choe, S., 1969
Christiansen, S., 1378
Chu, J., 1906
Chuang, H.-K., 1154
Chung, T. S., 1845
Coleman, B., 1906
Compton, E., 2072
Contreras J., R., 863
Covenklioglu, S., 90

Daoust, D., 2063
Davis, B. A., 1199
Delamare, L., 1781
Delannay, F., 2063
Della Valle, G., 1781
De Saja, J. A., 831
DiBenedetto, A. T., 716
Díez-Gutiérrez, S., 831
Dooley, J., 1060
Dooling, P. J., 892
Doroudiani, S., 1205
Drelich, J., 1378
Drozdov, A. D., 793
D'Souza, N. A., 204
Dubay, R., 1048
Dubois, P., 311
Dupret, F., 1594
Duteurtre, X., 1566

Economy, J., 499, 971
Eguiazábal, J. I., 1854
Eriksson, P.-A., 348, 749
Ezekoye, O. A., 976

Fahey, M. T., 976
Fahy, E. J., 1072
Fann, D.-M., 265
Favro, L. D., 385
Fedderly, J., 2072
Feng, J., 879, 1649
Field, G. J., 1685, 1915
Fienhold, G., 1413
Fisch, M., 1014
Fit, A., 1566
Fleissner, M., 330
Flodin, P., 1220
Forte, C., 1491
Francis, L. F., 1529
Fu, Y., 857
Funatsu, K., 409, 1099

Gan, P. P., 857
Gao, D. M., 223
Garcia-Rejon, A., 223
Gedde, U. W., 1217, 1244, 1270, 1278, 1559, 1640
Gerberich, W. W., 1529
Germain, Y., 657
Giannelis, E. P., 1351
Gifford, W. A., 1167, 1729
Gillis, P. P., 194
Gogos, C., 1029
Gogos, G., 1387
Goh, S. H., 1845
Goldberg, E., 699
González-Ortiz, L. J., 863
Gopalanarayanan, B., 204
Gotoh, Y., 1633
Gramann, P. J., 1199
Green, J. L., 194
Grulke, E. A., 194
Guastavino, F., 119
Guerrero-Salazar, C., 150
Guillen Mallette, J., 1436
Gustafsson, I., 922

Hagstrand, P.-O., 1324
Hall, D. B., 2039
Hammer, C. O., 1295
Han, C. D., 1154
Harkin-Jones, E. M. A., 516, 662
Harmon, J. P., 699
Harrison, I. R., 371
Hartmann, B., 2072
Hayashida, H., 1633
Hayes, B. S., 357
He, T., 420
Hedenqvist, M. S., 1313, 1640
Hermes, H. E., 847
Hétu, J.-F., 223
Hewitt, D., 1873
Higgins, J. S., 847
Hillborg, H., 1278
Hinduja, S., 892
Ho, W.-D., 1666
Hong, M.-H., 485
Hooke, C. J., 1946
Hourng, L.-W., 809
Hrnjak Murgić, Z., 689
Hu, G.-H., 177, 819
Hu, S.-Y., 1085
Hu, Y.-R., 341

Indexed by Janet Perlman, Southwest Indexing, 610 East Bell Road, Suite 2-157, Phoenix, AZ 85022, (602) 569-7302.

Huang, B., 420
Huang, C.-C., 573
Huang, H.-X., 1805
Huang, J.-S., 1085
Huang, S. K., 265
Huang, Y., 1506
Hughes, K., 1060
Hui, C. Y., 774
Hulme-Lowe, A. G., 976
Husselman, M. H., 838
Hwang, K.-M., 1969
Hyun, K. S., 1060

Ibar, J. P., 1
Ichikawa, Y., 403
Iemoto, Y., 409
Ikawa, T., 693
Im, S. S., 471, 905, 1420
Ishibashi, F., 1633
Ishizaki, N., 1838
Ito, E., 914

Jabarin, S. A., 237, 245
Jančář, J., 783
Jang, J., 1142
Jansen, K. M. B., 254, 838
Janssen, L. P. B. M., 1193, 2010
Jansson, J.-F., 1270, 1559
Jasso G., C. F., 863
Jelenčić, J., 689
Ju, M.-Y., 622
Jun, H. W., 905
Jyan, C.-F., 1482

Kabanemi, K. K., 21
Kajiwara, T., 409, 1099
Kalyon, D. M., 90, 1793
Kander, R. G., 1824, 1985
Kar, K. K., 38, 1927
Karlsson, S., 1251
Karwe, M. V., 1549
Katto, T., 403
Kawahara, M., 914
Kenig, S., 322
Kestenbach, H.-J., 478
Kim, B. S., 1359
Kim, D.-H., 1708
Kim, J.-H., 884
Kim, J. H., 1378
Kim, K. U., 596
Kim, O., 1142
Kim, S., 1142
Kimura, T., 914
Klason, C., 1324
Kobler, R., 1378
Koh, S.-K., 1185
Koike, T., 1838
Koizumi, T., 403
Kontou, E., 1443
Koopmans, R. J., 101
Kornmann, X., 1351
Kortschot, M. T., 1205
Koshy, P., 440
Kossikhina, S. A., 914
Kovenklioglu, S., 90
Koyama, K., 1623
Kubát, J., 1261
Kubát, M. J., 1261
Kučera, F., 783
Kukureka, S. N., 1946
Kumagai, K., 1740
Kuo, P. K., 385
Kuramoto, H., 1587
Kurihara, K., 1740
Kvist, L., 1303
Kwok, D. Y., 757, 1675
Kwon, T. H., 1450

Lacunza, M. H., 992
Lam, C. N. C., 1675
Lambrigger, M., 610
Lau, H. C., 1915
Lawal, A., 1793
Lea, R. H., 143
Lee, B. H., 1969
Lee, G. J., 471, 1420
Lee, H., 1969
Lee, J. K., 1154
Lee, J.-Y., 265
Lee, J. Y., 1359
Lee, L. J., 1121, 1133
Lee, M., 1112
Lee, S. G., 558
Lefas, J. A., 1997
Legras, R., 1594, 2063
Leng, Y., 156
Lesser, A. J., 707, 2055
Li, A., 1675
Li, S., 947
Li, Z., 879
Liang, Y., 1740
Liao, P., 1946
Liu, C.-H., 186
Liu, G., 1997
Liu, K., 60, 69
Liu, S. L., 1845
Liu, T.-J., 60
Liu, X., 1387
Liu, Y., 169
Loffredo, A. R., 1523
Lofgren, E. A., 237, 245
Loos, J., 478
Lopez-Quintanilla, M., 127, 150
Lorenzo, V., 461
Lowman, C. D., 976
Lu, Y., 385
Lye, S. W., 558
Lyu, M.-Y., 1366

Ma, C.-C. M., 1666
Macauley, N. J., 516, 662
McCarthy, T. J., 2055
McCarty, T. A., 1611
Machiels, A. G. C., 1536
Magagnini, P., 1491, 1572
Mai, Y.-W., 156, 1763
Malz, H., 1976
Manas-Zloczower, I., 926, 936
Manoochehri, S., 79
Månson, J.-A. E., 348, 749
Marchal, Y., 2063
Martinez, A. B., 282, 290
Mascia, L., 452
Mason, L. R., 1149
Maspoch, M. LL., 282, 290
Masseti, M., 1491, 1572
Mather, P. T., 1174
Matsunaga, K., 1099
Matuana, L. M., 765, 1862
Maurer, F. H. J., 1286, 1295
Mehta, S. R., 79
Mendizábal M., E., 863
Meuller, P., 1303
Michel, A., 1882
Micic, P., 1685
Mielewski, D. F., 2020
Migler, K. B., 213
Miller, D. R., 535
Miller, J. D., 1378
Minkova, L. I., 1572
Miteva, T. T., 1572
Mogilevsky, M., 322
Molenaar, J., 101
Monticciolo, A., 1882
Moore, R. B., 1658

Mora G., J., 863
Moriarty, B., 870
Mülhaupt, R., 1463
Murakami, H., 1740
Murgić, L., 689
Murphy, W. R., 516, 662

Nair, M. R. G., 440
Nairn, J. A., 186
Narayan, R., 311
Narita, T., 693
Narkis, M., 1890, 1898
Nazábal, J., 1854
Neelakantan, N. R., 440
Neumann, A. W., 757, 1675
Neves, N. M., 1770
Ni, J., 1133
Nie, L., 311
Nieh, J.-Y., 1121, 1133
Nir, Y., 1890
Nishihata, N., 403
Nishio, T., 1633
Noriega E., M. D. P., 1199

Ochiai, Y., 1587
Ohlsson, B., 108
Ohrlander, M., 1313
Ohshima, M., 1740
Ohta, M., 1845
Okada, A., 693
Oldenhove, B., 2063
Olson, L. G., 1387
Onteniente, J.-P., 2029
Orona-Villarreal, F., 127, 150
Osswald, T. A., 1199

Paci, M., 1491, 1572
Pae, K. D., 1185
Palmgren, R., 1313
Pan, J., 1031
Panayiotou, C., 954
Pang, S.-S., 143
Pantani, R., 254
Park, C. B., 674, 757, 765, 1112, 1205, 1812, 1862, 1997
Park, S.-C., 1185
Park, S. H., 1420
Park, S. J., 1450
Park, S. S., 905
Park, Y.-J., 884
Pasham, V. R., 1387
Paul, C. J., 440
Payne, J. A., 1529
Payne, T., 1378
Persson, S., 1254
Petermann, J., 478
Petty, C. A., 194
Piggott, M. R., 60, 69
Pinto, G., 461
Poli, G., 1491
Poorter, O., 1193
Porter, R. S., 1359
Posthuma de Boer, A., 1536
Pouzada, A. S., 1770
Powell, P. C., 1770
Prasad, A., 1716
Prentice, P., 1506
Prinos, J., 954
Prudhomme, J.-C., 2029

Ramani, K., 870
Ramkumar, D. H. S., 1426
Ramos de Valle, L. F., 127, 150
Rånby, B., 1229
Rao, M., 1946
Ratnagiri, R., 1751
Rempel, G. L., 1694

Reynolds, A. B., 1149
Rios Soberanis, R., 1436
Rodriguez-Fernandez, O. S., 127
Rodríguez-Pérez, M. A., 831
Romo-Uribe, A., 1174
Roux, J. A., 1611
Rumao, L., 1906
Rwei, S.-P., 341
Rychwalski, R. W., 1261, 1324

Sabbagh, A. B., 707
Saito, K., 1740
Salloum, G., 21, 223
Sánchez-Valdes, S., 127, 150
Sarmoria, C., 535
Sato, Y., 1633
Schantz, S., 1286
Schellenberg, J., 1413
Schmidt, F. M., 1399
Schmidt, M., 1286
Schmitz, P. J., 2020
Schueneman, G., 699
Schuman, P., 699
Schuman, W., 699
Scott, C. E., 1751
Seferis, J. C., 357
Seo, Y., 596, 741
Shambaugh, R. L., 1959
Sharma, D., 1611
Shaw, M. T., 169
Shi, F. F., 499, 971
Shia, D., 774
Shiga, T., 693
Shiue, S.-T., 1023
Shyu, J.-S., 530
Siegmann, A., 322, 1890, 1898
Simon, G. P., 1873
Simon, S. L., 566
Sims, G. L. A., 134
Skarlupka, R., 741
Skourlis, T. P., 79
Skytt, M.-L., 1270, 1559
Song, K., 505
Spathis, G., 1443
Stachowski, M. J., 716
Stenberg, B., 1254
Stephan, F., 1566
Sterte, J., 1351
Stokes, V. K., 2046
Stricker, F., 1463
Strojny, A., 1529
Stubblefield, M. A., 143
Suh, K. D., 471, 1420
Suh, N. P., 674
Sun, J., 1154
Sun, Q., 965
Sung, P.-H., 605
Swaminarayan, S., 634, 644

Takahashi, K., 1623
Takahata, H., 1633
Tang, H.-I., 341
Tanigaki, M., 1740
Tanoue, S., 409
Tchoudakov, R., 1898
Telenkov, S. A., 385
Theologidis, S., 954
Thomas, R.., 385
Thompson, M. R., 1694
Tiemblo, P., 119
Titomanlio, G., 254
Tjong, S. C., 392
Toll, S., 1337
Tonti, M. S., 1491, 1572
Tor, S. B., 558
Torii, Y., 1845
Torkelson, J. M., 2039
Törnell, B., 108
Tsai, C.-C., 49
Tuminello, W. H., 169
Tzoganakis, C., 274, 1112, 1694, 1976

Ugrin, P. E., 992
Underhill, P., 2039

Vaillancourt, H., 21
Valenza, A., 452
Van Dam, J., 1536
Van der Goot, A. J., 1193
Van Dijk, D. J., 838
Van Oene, H., 2020
Varma, P., 237, 245
Vaughan, J. G., 1611
Veijanen, A., 922
Venter, R. D., 1812
Veracini, C. A., 1491
Vergnes, B., 1781
Verhoyen, O., 1594
Vernel, J., 1261
Vick, L. W., 1824, 1985
Viebke, J., 1244
Villberg, K., 922
Voerman, J. H. D., 1770

Wadsworth, L. C., 965
Wang, H., 21
Wang, Q., 420
Wang, Y., 385
Wästlund, C., 1286
Weiss, R. A., 857
White, J. L., 485, 505, 590, 616, 727, 1366
Wiberg, G., 1278, 1640
Wong, S.-C., 156
Woo, E. M., 583
Wu, C., 524
Wu, L.-C., 1666
Wu, P.-Y., 49
Wu, R., 1675

Xia, P., 420

Yahsi, U., 464
Yamaguchi, A., 1845
Yamashita, Y., 1623
Yañez-Flores, I., 127, 150
Yang, C., 143
Yang, J.-M., 530
Yang, M., 879
Yao, C.-H., 936
Yao, W. G., 1623
Yau, S. N., 583
Yazici, R., 90
Yeh, J.-T., 1482
Yoshii, M., 1587
Yu, H., 741
Yu, Q., 819

Zacharia, R. E., 566
Zhang, D., 965
Zhu, K., 1675